

Norman H. Bangerter Governor Suzanne Dandoy, M.D., M.P.H. Executive Director Kenneth L. Alkema

State of Utah

DEPARTMENT OF HEALTH DIVISION OF ENVIRONMENTAL HEALTH

288 North 1460 West
P.O. Box 16690
Salt Lake City, Utah 84116-0690
(801) 538-6121

January 17, 1991



DIVISION OF DIL. GAS & MINING

Mr. Howard Hendrick, Area Manager Bureau of Land Management 2370 South 2300 West Salt Lake City, UT 84119

RE:

Timberline Mine Leach

Meteoric Water Mobility Testing

Dear Mr. Hendrick:

We have reviewed your proposal for using the subject testing procedure at the site. We feel that the contacted lixiviant in the Meteoric Water Mobility Procedure proposed, is adequate to be substituted as a rinsate for analysis.

Unless further artificial rinsing is contemplated, at least three equi-distant spaced 5 kg samples should be tested, which must be obtained from the very bottom of the heap.

Please let us know if you proceed with this testing, and the results with your interpretation. If you have any questions please contact Mr. David Rupp at 538-6146.

Sincerely,

Don A. Ostler, P.E., Director

Bureau of Water Pollution Control

DAO:DAR:rvg

cc:

Myron Bateman, Tooele County Health Dept.

Division of Oil, Gas, and Mining

N:TMBERPRO.NEU